Vol 3 Issue 2 March 2013

Impact Factor : 0.2105

ISSN No : 2230-7850

Monthly Multidisciplinary Research Journal

Indían Streams Research Journal

Executive Editor

Ashok Yakkaldevi

Editor-in-chief

H.N.Jagtap



IMPACT FACTOR : 0.2105

Welcome to ISRJ

RNI MAHMUL/2011/38595

ISSN No.2230-7850

Indian Streams Research Journal is a multidisciplinary research journal, published monthly in English, Hindi & Marathi Language. All research papers submitted to the journal will be double - blind peer reviewed referred by members of the editorial Board readers will include investigator in universities, research institutes government and industry with research interest in the general subjects.

International Advisory Board

Flávio de São Pedro Filho Federal University of Rondonia, Brazil Kamani Perera Regional Centre For Strategic Studies, Sri Lanka Janaki Sinnasamy	Mohammad Hailat Dept. of Mathmatical Sciences, University of South Carolina Aiken, Aiken SC 29801 Abdullah Sabbagh Engineering Studies, Sydney	Hasan Baktir English Language and Literature Department, Kayseri Ghayoor Abbas Chotana Department of Chemistry, Lahore University of Management Sciences [PK]
Librarian, University of Malaya [Malaysia]	Catalina Neculai University of Coventry, UK	Anna Maria Constantinovici AL. I. Cuza University, Romania
Romona Mihaila Spiru Haret University, Romania	Ecaterina Patrascu Spiru Haret University, Bucharest	Horia Patrascu Spiru Haret University, Bucharest, Romania
Spiru Haret University, Bucharest, Romania	Loredana Bosca Spiru Haret University, Romania Fabricio Moraes de Almeida	Ilie Pintea, Spiru Haret University, Romania
Anurag Misra DBS College, Kanpur	Federal University of Rondonia, Brazil	Xiaohua Yang PhD, USA
Titus Pop	Postdoctoral Researcher	College of Business Administration
	Editorial Board	
Pratap Vyamktrao Naikwade ASP College Devrukh,Ratnagiri,MS India	Iresh Swami Ex - VC. Solapur University, Solapur	Rajendra Shendge Director, B.C.U.D. Solapur University, Solapur
R. R. Patil Head Geology Department Solapur University, Solapur	N.S. Dhaygude Ex. Prin. Dayanand College, Solapur	R. R. Yalikar Director Managment Institute, Solapur
Rama Bhosale Prin. and Jt. Director Higher Education, Panvel	Jt. Director Higher Education, Pune K. M. Bhandarkar Praful Patel College of Education, Gondia	Umesh Rajderkar Head Humanities & Social Science YCMOU, Nashik
Salve R. N. Department of Sociology, Shivaji University, Kolhapur	Sonal Singh Vikram University, Ujjain	S. R. Pandya Head Education Dept. Mumbai University, Mumbai
Govind P. Shinde Bharati Vidyapeeth School of Distance Education Center, Navi Mumbai	G. P. Patankar S. D. M. Degree College, Honavar, Karnataka	Alka Darshan Shrivastava Shaskiya Snatkottar Mahavidyalaya, Dhar
	Maj. S. Bakhtiar Choudhary	Rahul Shriram Sudke

Ph.D.-University of Allahabad

Director, Hyderabad AP India.

S.Parvathi Devi

Ph.D , Annamalai University, TN

Devi Ahilya Vishwavidyalaya, Indore

Awadhesh Kumar Shirotriya Secretary, Play India Play (Trust),Meerut Sonal Singh

Chakane Sanjay Dnyaneshwar Arts, Science & Commerce College,

Indapur, Pune

Satish Kumar Kalhotra

S.KANNAN

Address:-Ashok Yakkaldevi 258/34, Raviwar Peth, Solapur - 413 005 Maharashtra, India Cell : 9595 359 435, Ph No: 02172372010 Email: ayisrj@yahoo.in Website: www.isrj.net

Indian Streams Research Journal Volume 3, Issue. 2, March. 2013 ISSN:-2230-7850

Available online at www.isrj.net



ORIGINAL ARTICLE



LAND USE AND LAND DEGRADATION IN BHILAWADI VILLAGE, SANGLI DISTRICT, MAHARASHTRA : A STUDY IN ENVIRONMENTAL GEOGAPHY

D.G.GATADE AND N.S. POL

Head And Associate Professor ,dept Ofgeography,a.s.c.college Ramanandnager ,sangli. Dept Of Geography,p.v.p.college, Kavathe Mahankal, Sangli . District , Maharashtra.

Abstract:

Soil degradation is one of the universal environmental problems. The degradation of soil resources is a significant part of environmental geography as well as agricultural geography. From this view point in the present research paper an attempt has been made to analyse general land use, agricultural land use and agricultural land degradation at micro level by selecting Bhilawadi village of Sangli district of Maharashtra state as a case study. The period selected for study is 20 years. The entire study is based on primary as well as secondary data. The primary data is collected by conducting field work through questionnaire method.Personel interviews of farmers, talathi and gramsevak are taken. The data for general land use and agricultural land use is collected from village and tehsil revenue departments. The data of agricultural land degradation is obtained from Sangli district soil testing laboratory and agricultural lepartment. Collected data is tabulated and shown by appropriate cartographic techniques. Such type of research in applied agricultural geography can be useful to solve the problems of the farmers and helpful in better planning for agricultural development of rural areas.

1 INTRODUCTION

The degradation of soil resources is a significant part of environmental degradation. The present investigation has an attempt to make deep study of micro level study of Bhilawadi as sample village in Sangli district of Maharashtra with views to solve the problems of the farmers and to help for better planning and agricultural development of rural area.

STUDYAREA

Bhilawadi lies in Palus tehsil of Sangli district in Maharsshtra. It is located at 160 59' north latitude and 740 27' east longitude having an altitude of 573 metres above the mean sea level. It is 14 km from the Palus town and is connected by road and Railways. The village is surrounded by Ankalkhop to the north, Malewadi to the east, Chopadewadi to the south, and Mardwadi to the west. It is situated on the confluence of the Krishna rivers. The total geographical area of the village is 1030 hectares having 9622 population according to 2001Census.

The general slope of the village is from the west to the east. About 95 per cent part of the village is plain. The village experiences typical hot and dry climate. The highest temperature (400C) is observed in May. The annual average rainfall is 750 mm. The village receives the rainfall from the South - West monsoon. It starts in the month of June and ends in the month of October. Soil in the village is black cotton soil. The soil is good and fertile

Title : LAND USE AND LAND DEGRADATION IN BHILAWADI VILLAGE, SANGLI DISTRICT, MAHARASHTRA : A STUDY IN ENVIRONMENTAL GEOGAPHY Source:Indian Streams Research Journal [2230-7850] D.G.GATADE AND N. S. POL yr:2013 vol:3 iss:2 LAND USE AND LAND DEGRADATION IN BHILAWADI VILLAGE, SANGLI DISTRICT........ **RESEARCH METHODOLOGY** The entire study is based on primary as well as secondary data. The primary data is collected by conducting field work through questionnaire method Personel interviews of farmers talathi and

conducting field work through questionnaire method.Personel interviews of farmers, talathi and gramsevak are taken. The period selected for study is 20 years. The data for general land use and agricultural land use is collected from village and tehsil revenue departments. The data of agricultural land degradation is obtained from Sangli district soil testing laboratory and agricultural department. Few secondary data are taken from socio-economic review and district statistical abstract of Sangli district. Collected data is tabulated and shown by bar graphs. The period selected for study is 20 years.

OBJECTIVES

Main objectives of present research paper are as under:

1) To analyse change in general and agricultural land use for the period of twenty years i.e.1990-91 to 2009-10

2) To find out the causes of agricultural land degradation.

Temporal Variation in General Land Use (1990-91 to 2009-10)

In general, the net sown area shows increasing trend. Area not available for cultivation, fallow land, and cultivable waste also shows increasing trend and small change are observed in other uncultivated land. The net sown area was 83.68 per cent in 1990-91 and 84.47 per cent in 2009-10, in these twenty years 0.79 per cent net sown area was increased. The land not available for cultivation was 10.71 per cent in 1990–91 and 8.54 per cent in 2009-10. In these twenty years land not available for cultivation was decreased by -1.36 per cent. Other uncultivated land was 2.52 per cent in 1990–91 and 1.90 per cent in 2009-10. In these twenty years it was decreased by -0.62 per cent. The fallow land was increased by 2.00 per cent. No area under forest was found in both years (Table 1 and Fig. 1).

Sr. No.	Land use type	Year			Changes in %
		1990-91	2000-01	2009-10	1990-91 To 2009-10
1	Net Sown Area	83.68	81.93	84.47	+0.79
	Land Not Available For	•			
2	Cultivation	10.71	10.30	8.54	-1.36
	Other Uncultivated				
3	Land	2.52	2.60	1.90	-0.62
4	Fallow Land	3.09	5.17	5.09	+2.00
5	Forest	0.00	0.00	0.00	0.00

Table 1 General Land Use in Bhilawadi Village

Source- Village revenue record. Note-Area in percentage

Indian Streams Research Journal • Volume 3 Issue 2 • March 2013









Temporal Variation in Agricultural Land Use (1990-91 to 2009-10)

Temporal variation in agricultural land use is shown in Table 2 It reveals that during the span of twenty years area under Soyabean, jowar crops was decreased by -6.66 per cent, -2.5 per cent respectively. It means area under food crops was decreased. On the contrary area under sugarcane was increased by 6.61 per cent. The area under Fruits and vegetable shows upward trend in the twenty years. It was increased by 1.52 per cent. (Table 2 and Fig.2).

Indian Streams Research Journal • Volume 3 Issue 2 • March 2013

LAND USE AND LAND DEGRADATION IN BHILAWADI VILLAGE, SANGLI DISTRICT......



SR NO		Year		Changes in
	Name of	1990-91	2009-10	%
	crops			1990-91
				To 2009-10
1	Sugarcane	67.59	74.20	+6.61
2	Soyabean	16.30	9.64	-6.66
3	Wheat	7.17	8.26	+1.09
4	Jowar	5.68	3.18	-2.5
5	Fruits &	3.26	4.78	+1.52
	Vegetable			

Table 2Agricultural Land Use in Bhilawadi.

Source- Village revenue record Note- Area in percentage.

LAND DEGRADATION

The village is located on plain region. Increasing salinity of soil is the major problem of the village. During field work by visiting in survey No. 38 to 86, 93 to 126, 158 to 169, 188 and 237 it came to know that the average salinity of the soil was 8.19 in 2006-2007 and 7.94 in 2008-09. In this village out of total net sown area about 384.53 hectares (32.81 per cent) land is saline. After discussion with farmers it is noticed that farmers are using chemicals, fertilizers on the large scale in their own way. Due to irrigation intensity, chemicals and fertilizers the electrical conductivity of soil is increased by 2.38 mmhos/cm. it was 0.41 mmhos/cm in 2006-07 and 0.59 mmhos/cm in 2008-09. it is observed that no farmer of the village tests the land prior to the farming. The problem like soil erosion, brick kilns, and wrong cultivation method was also found in the village. These problems help to increase the erosion of soil.

CONCLUDING REMARKS

Study reveals that the cropping pattern in the Haripur village is a reflection of physiographic, soil type, slope, irrigation and other socio economics factors. Study also reveals that unsuitable agricultural practices, excess rainfall, flooding, erosion, salinisation, water logging, deforestation, over cutting of vegetation, shifting cultivation, over grazing, improper crop rotation, imbalanced fertilizer use, mismanaged irrigation, over pumping of ground water, poverty, population increase, economic pressure, attitude of farmer and artificial soil loss are the major forms of problem of soil degradation

REFERENCES

1.Arunachalam, B. (1967): Maharashtra- A Study Physical and Regional Setting and Resource Development, AR. Seth, Bombay.

2.Arunachalam, B (1979): The problems of droughts, what can the Geographer do? Proceeding of the All India symposium on the drought prone area of India. Edited by N. B. K. Reddy, Rayalseema Geographical Society, Tirupati, Pp.66-69.

3.Census of India (2001): District Census Handbook, Sangli. Bombay, Director, Government Printing and Stationary, Maharashtra State.

4. Govt. of Maharashtra, (1960 and 1980): Gazetteer of Sangli District.

5.Govt. of Maharashtra (1969): Maharashtra State Gazetteers, Sangli District, pp.321.

6.Govt. of Maharashtra, Socio-economic Review and District Statistical Abstracts of Sangli (1980-81 to 2009-2010).

7. http//www.sangli.nic.in

http://www.wikipedia.com
 www.sefriends.org.nz/enviro/soil/erosion.htm.

Indian Streams Research Journal • Volume 3 Issue 2 • March 2013

LAND USE AND LAND DEGRADATION IN BHILAWADI VILLAGE, SANGLI DISTRICT
 10.http://dolr.nic.in/wasteland.htm 11.Talathi Office Record, Village Bhilawadi 12.Narkhede, D. S. (2010): "Agricultural Land Use and Land Degradation in Raigarh District (Maharashtra): A Geographical Perspective," Unpublished Ph.D. Thesis, submitted to the Shivaji University, Kolhapur. Pp 210-214,266,271-273 13.Pol, N.S. (2008): "Agricultural Problems and Prospects of Drought Prone Area: A Case Study of Kavathe Mahankal tehsil, Sangli District, Maharashtra," Unpublished M.Phil. Thesis, Bharathidasan University, Tiruchirappalli (Tamil Nadu).Pp.69,73.

Indian Streams Research Journal • Volume 3 Issue 2 • March 2013

Publish Research Article International Level Multidisciplinary Research Journal For All Subjects

Dear Sir/Mam,

We invite unpublished research paper.Summary of Research Project,Theses,Books and Books Review of publication,you will be pleased to know that our journals are

Associated and Indexed, India

- ★ International Scientific Journal Consortium Scientific
- ★ OPEN J-GATE

Associated and Indexed, USA

- Google Scholar
- EBSCO
- DOAJ
- Index Copernicus
- Publication Index
- Academic Journal Database
- Contemporary Research Index
- Academic Paper Databse
- Digital Journals Database
- Current Index to Scholarly Journals
- Elite Scientific Journal Archive
- Directory Of Academic Resources
- Scholar Journal Index
- Recent Science Index
- Scientific Resources Database

Indian Streams Research Journal 258/34 Raviwar Peth Solapur-413005,Maharashtra Contact-9595359435 E-Mail-ayisrj@yahoo.in/ayisrj2011@gmail.com Website : www.isrj.net